

Global

**:help keyword** - open help for keyword

**:saveas file** - save file as

**:close** - close current pane

**K** - open man page for word under the cursor

Cursor movement

**h** - move cursor left

**j** - move cursor down

**k** - move cursor up

**l** - move cursor right

**H** - move to top of screen

**M** - move to middle of screen

**L** - move to bottom of screen

**w** - jump forwards to the start of a word

**W** - jump forwards to the start of a word (words can contain punctuation)

**e** - jump forwards to the end of a word

**E** - jump forwards to the end of a word (words can contain punctuation)

**b** - jump backwards to the start of a word

**B** - jump backwards to the start of a word (words can contain punctuation)

**%** - move to matching character (default supported pairs: '()', '{}', '[]' - use **:h matchpairs** in vim for more info)

**0** - jump to the start of the line

**^** - jump to the first non-blank character of the line

**\$** - jump to the end of the line

**g\_** - jump to the last non-blank character of the line

**gg** - go to the first line of the document

Editing

**r** - replace a single character

**J** - join line below to the current one with one space in between

**gJ** - join line below to the current one without space in between

**gwip** - reflow paragraph

**cc** - change (replace) entire line

**C** - change (replace) to the end of the line

**c\$** - change (replace) to the end of the line

**ciw** - change (replace) entire word

**cw** - change (replace) to the end of the word

**s** - delete character and substitute text

**S** - delete line and substitute text (same as cc)

**xp** - transpose two letters (delete and paste)

**u** - undo

**Ctrl + r** - redo

**.** - repeat last command

Marking text (visual mode)

**v** - start visual mode, mark lines, then do a command (like y-yank)

**V** - start linewise visual mode

**o** - move to other end of marked area

**Ctrl + v** - start visual block mode

**O** - move to other corner of block

**aw** - mark a word

**ab** - a block with ()

**aB** - a block with {}

**ib** - inner block with ()

Cut and paste

**yy** - yank (copy) a line

**2yy** - yank (copy) 2 lines

**yw** - yank (copy) the characters of the word from the cursor position to the start of the next word

**y\$** - yank (copy) to end of line

**p** - put (paste) the clipboard after cursor

**P** - put (paste) before cursor

**dd** - delete (cut) a line

**2dd** - delete (cut) 2 lines

**dw** - delete (cut) the characters of the word from the cursor position to the start of the next word

**D** - delete (cut) to the end of the line

**d\$** - delete (cut) to the end of the line

**x** - delete (cut) character

Exiting

**:w** - write (save) the file, but don't exit

**:w !sudo tee %** - write out the current file using sudo

**:wq** or **:X** or **ZZ** - write (save) and quit

**:q** - quit (fails if there are unsaved changes)

**:q!** or **ZQ** - quit and throw away unsaved changes

**:wqa** - write (save) and quit on all tabs

Search and replace

**/pattern** - search for pattern

**?pattern** - search backward for pattern

**\vpattern** - 'very magic' pattern: non-alphanumeric characters are interpreted as special regex symbols (no escaping needed)

**n** - repeat search in same direction

Working with multiple files

**:e file** - edit a file in a new buffer

**:bnext** or **:bn** - go to the next buffer

**:bprev** or **:bp** - go to the previous buffer

**:bd** - delete a buffer (close a file)

**:ls** - list all open buffers

**:sp file** - open a file in a new buffer and split window

**:vsp file** - open a file in a new buffer and vertically split window

**Ctrl + ws** - split window

**Ctrl + ww** - switch windows

**Ctrl + wq** - quit a window

**Ctrl + wv** - split window vertically

**Ctrl + wh** - move cursor to the left window (vertical split)

**Ctrl + wl** - move cursor to the right window (vertical split)

**Ctrl + wj** - move cursor to the window below (horizontal split)

**Ctrl + wk** - move cursor to the window above (horizontal split)

Tabs

**:tabnew** or **:tabnew**

**{page.words.file}** - open a file in a new tab

**Ctrl + wT** - move the current split window into its own tab

**gt** or **:tabnext** or **:tabn** - move to the next tab

**gT** or **:tabprev** or **:tabp** - move to the previous tab

**#gt** - move to tab number #

**:tabmove #** - move current tab to the #th position (indexed from 0)

**:tabclose** or **:tabc** - close the current tab and all its windows

**:tabonly** or **:tabo** - close all tabs except for the current one

**:tabdo** command - run the command on all tabs (e.g. **:tabdo q** - closes all opened tabs)

<b>Shift</b> - the last line of the document	<b>iB</b> - inner block with {}	<b>N</b> - repeat search in opposite direction
<b>5G</b> - go to line 5	<b>Esc</b> - exit visual mode	<b>:%s/old/new/g</b> - replace all old with new throughout file
<b>fx</b> - jump to next occurrence of character x	Visual commands	<b>:%s/old/new/gc</b> - replace all old with new throughout file with confirmations
<b>tx</b> - jump to before next occurrence of character x	<b>&gt;</b> - shift text right	<b>:noh</b> - remove highlighting of search matches
<b>Fx</b> - jump to previous occurrence of character x	<b>&lt;</b> - shift text left	Search in multiple files
<b>Tx</b> - jump to after previous occurrence of character x	<b>y</b> - yank (copy) marked text	<b>:vimgrep /pattern/ {{file}} -</b> search for pattern in multiple files
<b>;</b> - repeat previous f, t, F or T movement	<b>d</b> - delete marked text	<b>:cn</b> - jump to the next match
<b>,</b> - repeat previous f, t, F or T movement, backwards	<b>~</b> - switch case	<b>:cp</b> - jump to the previous match
<b>}</b> - jump to next paragraph (or function/block, when editing code)	Registers	<b>:copen</b> - open a window containing the list of matches
<b>{</b> - jump to previous paragraph (or function/block, when editing code)	<b>:reg</b> - show registers content	
<b>zz</b> - center cursor on screen	<b>"xy</b> - yank into register x	
<b>Ctrl + e</b> - move screen down one line (without moving cursor)	<b>"xp</b> - paste contents of register x	
<b>Ctrl + y</b> - move screen up one line (without moving cursor)	Marks	
<b>Ctrl + b</b> - move back one full screen	<b>:marks</b> - list of marks	
<b>Ctrl + f</b> - move forward one full screen	<b>ma</b> - set current position for mark A	
<b>Ctrl + d</b> - move forward 1/2 a screen	<b>`a</b> - jump to position of mark A	
<b>Ctrl + u</b> - move back 1/2 a screen	<b>y`a</b> - yank text to position of mark A	
Insert mode - inserting/appendng text	Macros	
<b>i</b> - insert before the cursor	<b>qa</b> - record macro a	
<b>I</b> - insert at the beginning of the line	<b>q</b> - stop recording macro	
<b>a</b> - insert (append) after the cursor	<b>@a</b> - run macro a	
<b>A</b> - insert (append) at the end of the line	<b>@@</b> - rerun last run macro	
<b>o</b> - append (open) a new line below the current line		
<b>O</b> - append (open) a new line above the current line		
<b>ea</b> - insert (append) at the end of the word		

